

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**


(L)



26
4



Fig 3






Fig 4



Fig 9

(10)





Fig 7



Control
cells


TGF- β 1-
transfected
cells

FIG 9

A B C

D E F

x600




x600


(This row is a duplicate entry)




x200



x50



x50



Control

TGF- β

Fig 9





Figure 10. Regeneration of Cartilage with Irradiated NIH3T3-TGF- β 1 fibroblast cells




Figure 11. Regeneration of Cartilage with Human Foreskin Fibroblast Cells Producing TGF





Figure 12. Regeneration of Cartilage with NIH3T3-TGF- β 1 cells in a Dog Model



Immunohistochemical Staining of Regenerated Cartilage with TGF- β 1 antibody at 3 Weeks after Injection of TGF- β 1 producing fibroblast cells




Fig. 13